



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au plating over Ni
2	Plunger	1	Leaded Brass	Au plating over Ni
3	Spring	1	Stainless steel wire	_____
4				
5				

Table 1 Mechanical performance

Table 1 Mechanical performance		
working height	6.0mm	80±35gf <2.1>
Durability	10000cycle	

# TOP LINK

<sup>1</sup> Dimensions shall be interpreted per ASME Y14.5M.

## 2 Mechanical performance(See the table 1)

**2.** The force is the average of forces obtained when plunger goes downwards and upwards.

<2.2> Total stroke : 1.9mm.

### 3 Electrical performance

Resistance: 30mOhm Max.Current rating: 2.0A

4 From compliant.

101540-1
PART NUMBER

Top-Link Electronics Ltd	Type	Unit	Weight
	Customer drawing	mm	
TOLERANCES UNLESS	DMN:	APVD:	

Type	Unit
Customer drawing	mm
DWN:	APVD:

Weight	
--------	--

0.0 ± 0.15	CHK:	REL:	<i>Electronics</i>		Electronics Ltd
0.00 ± 0.10					
0.000 ± —					
Angle: 41°	Name	POGO PIN			
SURF. TEXTURE:					
REMOVE BURRS.					
BREAK SHARP EDGES					
RODS MAX/D0 NOT					
SCALE PRINT.	Scale	Size	DWG No.	Page	Rev.
	1:1	A4	C-101540	1/1	A

CHK:	REL:
Name POGO PIN	
Scale 1:1	Size A4
DWG No. C-	

<b><u>Electronics</u></b>		Electronics Ltd.
40	Page 1/1	Rev. A