




DWN No.:
C-10101011220


DIST



Recommended PCB Layout



TOP-LINK



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au 0.1um plating Ni 1.4um
2	Plunger	1	Leaded Brass	Au 0.4um plating Ni 1.4um
3	Spring	1	Stainless steel wire	_____
4	CAP	1	High temp,Plastic UL94 V-0 Color Black	_____
5				

- Notes:
- 1 Dimensions shall be interpreted per ASME Y14.5M.
 - 2 Mechanical performance(See the table 1)
<2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
 - <2.2>Warning: Working height are not permitted to be less than Min working height.
 - 3 Electrical performance
Resistance: 30mOhm Max.
Current rating: 2.0A
 - 4 Packaging specification conforms to EIA 481
 - 5 RoHS compliant.

Type	Customer drawing	Unit	Weight	Part Number
Top-Link Electronics Ltd.		mm		10101011220
TOLERANCES UNLESS OTHER SPECIFIED				
0.0 = ±0.15	DWN:			
0.00 = ±0.10	Cai wanlu			
0.000 = ±0.05	APVD:			
Angle: ±1°	CHK:			
REL:				
SURF. TEXTURE:	Name	POGO PIN		
REMOVE BURRS.	Scale	1:1	Size	A4
BREAK SHARP EDGES	DWG No.	C-10101011220	Page	1/1
RO.05 MAX. DO NOT SCALE PRINT.	Rev.	1	Rev.	1

A

B

C

D